







WWW.ROLL-PACKAGING.COM

info@roll-packaging.com

ROLL EVOLUTION



the Roll Packaging Experts!



EU HeadQuarter

Via don Capiaghi 9
22070 Bregnano (Como) - Italy



+39 339 208 2301



info@roll-packaging.com



US HeadOffice

1223 Coronet Drive, Suite 4
30720 Dalton - GA - US



+1 706 529 7317



federica.fini@eurotechnical.net

CONTACT:

info@roll-packaging.com

sales@roll-packaging.com

Tel. +39 339 208 2301

ROLL PALLET

Pallet per Bobine, Rollenpaletten,
Palettes pour bobines, Pallet para bobinas

ROLL COMBO

Pallet per Bobine Personalizzabili, Rollenpaletten,
Palettes pour bobines, Pallet para bobinas

ROLL KUNEO

Cunei per Bobine, Plastic Wedges,
Kunststoffkeile, Cales pour bobines, Cuñas

ROLL STICKO

Stecche per Bobine, Cradles,
Wiege, Berceaux pour Bobines


ROLL FLANGES

Flange di Plastica, Plastic EndWall,
Kunststoffflansche, Flasques, Bridas

ROLL HANGO

Magazzino Bobine, Roll Warehouse,
Rollenlager, Entrepôt, Almacén

ROLL Quick Support +39 339 208 2301




Open WhatsApp

Find ROLL contact
(+39 339 208 2301)



Send Pictures

What you're looking
or what is your
problem...



Send a message

Don't forget!

- 1) Dimensions of rolls
- 2) Quantity of potential order
- 3) Company Name

The logo for ROLL, featuring the word "ROLL" in a bold, white, sans-serif font. The letter "O" is stylized as a blue circle with a white dot in the center. The logo is set against a blue background that is part of a larger graphic design.

ROLL

Pallet per Bobine

Rollenpaletten

Palettes pour bobines

Pallet para bobinas

ROLL PALLET





RCV49

Roll Pallet

800 (w) x 1200 (l) x 190 (h) mm



Reinforced with metal bars



Max Diameter (mm)

1100 mm

Roll Static Load (Kg)

1500 Kg

Roll Dyn. Load (Kg)

1000 Kg

Rackable

1000 Kg

WEIGHT... **24 Kg/unit**
1 PACK ... **11 units/pack**



RCV08

Roll Pallet

800 (w) x 1200 (l) x 190 (h) mm



Max Diameter (mm)

1100 mm

Roll Static Load (Kg)

1500 Kg


Roll Dyn. Load (Kg)

1000 Kg

Rackable


No/only shelves

WEIGHT... **26 Kg/unit**
1 PACK ... **11 units/pack**



*Roll Pallets
standard
size
and
bestseller*

800X1200
ROLL PALLET



RP01

Roll Pallet

800 (w) x 1200 (l) x 190 (h) mm



Max Diameter (mm)

1200 mm

Roll Static Load (Kg)

2000 Kg


Roll Dyn. Load (Kg)

1500 Kg

Rackable

800 Kg

WEIGHT... **28 Kg/unit**
1 PACK ... **11 units/pack**




RC39.1

Roll Pallet



800 (w) x 1200 (l) x 275 (h) mm



COMBO PATENT
Styrofoam
covered with Polyurea



Reinforced with metal bars



Max Diameter (mm)

1100 mm

Roll Static Load (Kg)

1500 Kg


Roll Dyn. Load (Kg)

1000 Kg

Rackable

1000 Kg

WEIGHT... **21 Kg/unit**
1 PACK ... **7 units/pack**




RC39.2

Roll Pallet



800 (w) x 1200 (l) x 275 (h) mm



COMBO PATENT
Styrofoam
covered with Polyurea



Reinforced with metal bars



Max Diameter (mm)

1100 mm

Roll Static Load (Kg)

1500 Kg


Roll Dyn. Load (Kg)




1000 Kg

Rackable

1000 Kg


WEIGHT... **21 Kg/unit**
1 PACK ... **7 units/pack**





RP02 Roll Pallet			RP03 Roll Pallet		
670 (w) x 1000 (l) x 129 (h) mm			600 (w) x 1000 (l) x 175 (h) mm		
 					
					
					
Max Diameter (mm)  1000 mm	WEIGHT... 19.8 Kg/unit 1 PACK ... 15 units/pack		Max Diameter (mm)  1100 mm	WEIGHT... 26 Kg/unit 1 PACK ... 11 units/pack	
Roll Static Load (Kg)  2000 Kg			Roll Static Load (Kg)  1500 Kg		
Roll Dyn. Load (Kg)  1500 Kg			Roll Dyn. Load (Kg)  1000 Kg		
Rackable  No/only shelves			Rackable  No/only shelves		

*Roll Pallets
small
dimensions*

SMALL
ROLL PALLET




RP12.80 Roll Pallet			RC12.100 Roll Pallet			RC12.120 Roll Pallet		
400 (w) x 800 (l) x 150 (h) mm			400 (w) x 1000 (l) x 150 (h) mm			400 (w) x 1200 (l) x 150 (h) mm		
								
								
								
Max Diameter (mm)  700 mm	WEIGHT... 9.5 Kg/unit 1 PACK ... 50 units/pack		Max Diameter (mm)  700 mm	WEIGHT... 10.5 Kg/unit 1 PACK ... 50 units/pack		Max Diameter (mm)  700 mm	WEIGHT... 12 Kg/unit 1 PACK ... 40 units/pack	
Roll Static Load (Kg)  1500 Kg			Roll Static Load (Kg)  1500 Kg			Roll Static Load (Kg)  1500 Kg		
Roll Dyn. Load (Kg)  1200 Kg			Roll Dyn. Load (Kg)  1200 Kg			Roll Dyn. Load (Kg)  1200 Kg		
Rackable  No/only shelves			Rackable  No/only shelves			Rackable  No/only shelves		

STABILO

ROLL PALLET LOWCOST

STABILO = 1 rubber mat
+ 2 wedges (with rubber skids)
Loading by rolling.
With unbelievable stability
(better than nailed wedges!)
thanks to the amazing grip.





SB01 Roll Pallet Stabilo Kit			SB02 Roll Pallet Stabilo Kit			SB03 Roll Pallet Stabilo Kit		
800 (w) x 1200 (l) x 60 (h) mm			800 (w) x 1200 (l) x 60 (h) mm			800 (w) x 1200 (l) x 80 (h) mm		
Max Diameter (mm) 1100 mm	WEIGHT... 10 Kg/unit 1 PACK ... 80 units/pack		Max Diameter (mm) 1100 mm	WEIGHT... 12 Kg/unit 1 PACK ... 80 units/pack		Max Diameter (mm) 1200 mm	WEIGHT... 12 Kg/unit 1 PACK ... 80 units/pack	
Roll Static Load (Kg) 1500 Kg			Roll Static Load (Kg) 1500 Kg			Roll Static Load (Kg) 1500 Kg		
Roll Dyn. Load (Kg) 1000 Kg			Roll Dyn. Load (Kg) 1000 Kg			Roll Dyn. Load (Kg) 1000 Kg		
Rackable Dep. Pallet	SB01 = (1x RPMT + 2x KU04-570)		Rackable Dep. Pallet	SB02 = (1x RPMT + 2x KU04-1143)		Rackable Dep. Pallet	SB03 = (1x RPMT + 2x KU01+)	

CV01

Roll Pallet Converto Deck

800 (w) x 1200 (l) x 100 (h) mm



Max Diameter (mm)
1100 mm

Roll Static Load (Kg)
1500 Kg


Roll Dyn. Load (Kg)
1000 Kg

Rackable
Dep. Pallet

WEIGHT... **7 Kg/unit**
1 PACK ... **28 units/pack**



CONVERTO smart pallet deck transforms 800x1200 pallets into roll cradle pallets easy to use and extra strong increases hygiene and safety



CONVERTO
ROLL PALLETTEASY


RP18.1

Roll Pallet

800 (w) x 1200 (l) x 195 (h) mm



Top with holes




Max Diameter (mm)
500 mm

Roll Static Load (Kg)
1200 Kg

Roll Dyn. Load (Kg)
800 Kg

Rackable
No

WEIGHT... **23 Kg/unit**
1 PACK ... **15 units/pack**



RP18-1 = (1x PP18 + 2x KU03-285)




RP18.2

Roll Pallet

800 (w) x 1200 (l) x 195 (h) mm



Top with holes




Max Diameter (mm)
500 mm

Roll Static Load (Kg)
1200 Kg

Roll Dyn. Load (Kg)
800 Kg

Rackable
No

WEIGHT... **25 Kg/unit**
1 PACK ... **15 units/pack**




RP18-2 = (1x PP18 + 2x KU03-740)



Roll Pallets with removable wedges system for medium diameter rolls

MOVILLO
ROLL PALLET MOVABLE WEDGES





CO01.W

Roll Combo Deck

784 (w) x 1174 (l) x 120 (h) mm

COMBO PATENT
Styrofoam
covered with Polyurea



Max Diameter (mm)
1100 mm

Roll Static Load (Kg)
1500 Kg

Roll Dyn. Load (Kg)
1000 Kg

Rackable
Dep. Pallet

WEIGHT... **2.4 Kg/unit**
1 PACK ... **18 units/pack**



CO02.W

Roll Combo Deck

784 (w) x 1174 (l) x 120 (h) mm

COMBO PATENT
Styrofoam
covered with Polyurea



Max Diameter (mm)
1100 mm

Roll Static Load (Kg)
1500 Kg


Roll Dyn. Load (Kg)
1000 Kg

Rackable
Dep. Pallet

WEIGHT... **2.0 Kg/unit**
1 PACK ... **18 units/pack**



Pallet decks
made with
COMBO
technology
with
easy fixing
on wooden
pallets




RCY.04.080

Roll Pallet Cyindro

800 (w) x 1200 (l) x 405 (h) mm



COMBO PATENT
Styrofoam
covered with Polyurea




Max Diameter (mm)
200 mm
x 4

Roll Static Load (Kg)
1200 Kg

Roll Dyn. Load (Kg)
1000 Kg

Rackable
only shelves

WEIGHT... **7 Kg/unit**
1 PACK ... **28 units/pack**



RCY-04-080 = (1x PP39 + 1x BASE + 2x CRADLE)




RCY.03.080

Roll Pallet Cyindro

800 (w) x 1200 (l) x 405 (h) mm



COMBO PATENT
Styrofoam
covered with Polyurea



Max Diameter (mm)
230 mm
x 3

Roll Static Load (Kg)
1200 Kg

Roll Dyn. Load (Kg)
1000 Kg

Rackable
only shelves

WEIGHT... **7 Kg/unit**
1 PACK ... **28 units/pack**



RCY-03-080 = (1x PP39 + 1x BASE + 2x CRADLE)



COMBO
Roll pallets
for easy
and tidy
storage
of heavy
cylinders

CYLINDRO
MULTI ROLL CRADLE PALLET


COPA.080.160

ComboPall

800 (w) x 1600 (l) x 340 (h) mm



COMBO PATENT
Styrofoam
covered with Polyurea



Max Diameter (mm)



1000 mm

Roll Static Load (Kg)



800 Kg

Roll Dyn. Load (Kg)




800 Kg

Rackable



**Only
Shelves**

WEIGHT... **8.5 Kg/unit**




COPA.080.060

ComboPall

800 (w) x 600 (l) x 270 (h) mm



COMBO PATENT
Styrofoam
covered with Polyurea



Max Diameter (mm)



600 mm

Roll Static Load (Kg)



400 Kg

Roll Dyn. Load (Kg)




400 Kg

Rackable



**Only
Shelves**

WEIGHT... **2.6 Kg/unit**



RCX.120.120

Roll Pallet XL

1200 (w) x 1200 (l) x 335 (h) mm



HDPE




COMBO PATENT
Styrofoam
covered with Polyurea

Max Diameter (mm)



1400 mm



RCX.100.160

Roll Pallet XL

1000 (w) x 1600 (l) x 305 (h) mm



HDPE




COMBO PATENT
Styrofoam
covered with Polyurea

Max Diameter (mm)



1300 mm



RCX.080.240

Roll Pallet XL

800 (w) x 2360 (l) x 305 (h) mm



HDPE




COMBO PATENT
Styrofoam
covered with Polyurea

Max Diameter (mm)



800 mm



Roll pallets
non-standard
dimensions for
medium rolls
made with
COMBO
technology

COMBOPALL









ROLL COMBO PALLET SPECIAL SIZE

Roll pallets
extra size
designed
for specific
requests

RCXL

ROLL PALLET EXTRA SIZE

by ROLL DIAMETER



ROLL KUNEO STRONG

ROLL WEDGES – REEL CHOCKS


KU04.570

Roll Kuneo

150 (w) x 540 (l) x 50 (h) mm



MAX 1100 mm



RUBBER SKIDS
SUPER FRICTION

KU04.1143

Roll Kuneo

150 (w) x 1143 (l) x 50 (h) mm



MAX 1100 mm



RUBBER SKIDS
SUPER FRICTION

*Rolls Wedges
for internal handling
and roll storage.
Easy to use
and
extremely resistant*

*Super
Reusability!*

KU01

Roll Kuneo

220 (w) x 220 (l) x 75 (h) mm



MAX 1200




KU01+

Roll Kuneo

220 (w) x 220 (l) x 75 (h) mm



MAX 1200



RUBBER SKIDS
SUPER FRICTION


KU012

Roll Kuneo

220 (w) x 600 (l) x 75 (h) mm



MAX 1200



KU012 = (1x KU02 + 2x KU01)



KU03.285

Roll Kuneo

120 (w) x 285 (l) x 60 (h) mm



MAX 500 mm



PINS FOR
TOP PALLET HOLES



KU03.740

Roll Kuneo

120 (w) x 740 (l) x 60 (h) mm



MAX 500 mm



PINS FOR
TOP PALLET HOLES

ROLL KUNEO LIGHT

ROLL WEDGES – REEL CHOCKS


KU05

Roll Kuneo

139 (w) x 106 (l) x 53 (h) mm



MAX 600 mm



KU05.XL

Roll Kuneo

198 (w) x 138 (l) x 66 (h) mm



MAX 600 mm



*Rolls Wedges
for final
customer.
Lightweight
and safe*

*Super Recyclable
One-way =>*


KUP01

Roll Kuneo


700 (w) x 616 (l) x 80 (h) mm



MAX 800




*ROLL KUNEO PAPER is a low cost
and eco friendly
way for fixing rolls.
It is possible
to load by rolling
and the cardboard wedges
system fixes
(by biadhesive)
ensuring super stability*



biadhesive

super fix



PLASTIC PALLET

BASE FOR ROLL PALLET

PP39

Plastic Pallet

800 (w) x 1200 (l) x 158 (h) mm



PP49

Plastic Pallet

800 (w) x 1200 (l) x 155 (h) mm



*Plastic Pallets
used with
wedges become
roll pallet.
But ...specification
for loading
are different!
Ask us more info.*



Static
Load (Kg)
2500 kg



Dynam.
Load (Kg)
1500 kg



Rack
Load (Kg)
1200 kg



Static
Load (Kg)
2500 kg



Dynam.
Load (Kg)
1500 kg



Rack
Load (Kg)
1200 kg

PP08

Plastic Pallet

800 (w) x 1200 (l) x 140 (h) mm



PP03

Plastic Pallet

800 (w) x 1200 (l) x 155 (h) mm



PP09

Plastic Pallet

800 (w) x 1200 (l) x 155 (h) mm



Static
Load (Kg)
5000 kg



Dynam.
Load (Kg)
1500 kg



Rack
Load (Kg)
No



Static
Load (Kg)
6000 kg



Dynam.
Load (Kg)
2500 kg



Rack
Load (Kg)
400 Kg



Static
Load (Kg)
6000 kg



Dynam.
Load (Kg)
2500 kg



Rack
Load (Kg)
1200 kg

PPLS01

Plastic Pallet Light

800 (w) x 1200 (l) x 120 (h) mm



Static
Load (Kg)
2000 kg





Dynam.
Load (Kg)
1000 kg



Rack
Load (Kg)
200 kg

*loads (uniform)
for plastic pallet*



*loads (concentrate) for
roll pallet*



Stecche per Bobine

Rollwiege

Berceaux pour Bobines

Cunas

ROLLSTICKKO



ROLL STICKO PAPER

ROLL CRADLE

PC02.580

Roll Sticko Paper


140 (w) x 1160 (l) x 80 (h) mm



PC02.500

Roll Sticko Paper

120 (w) x 1000 (l) x 80 (h) mm



PC02.400

Roll Sticko Paper


90 (w) x 800 (l) x 80 (h) mm



PC03.400

Roll Sticko Paper


90 (w) x 1200 (l) x 80 (h) mm



PC03.300

Roll Sticko Paper


90 (w) x 950 (l) x 80 (h) mm



PC04.250

Roll Sticko Paper


90 (w) x 1060 (l) x 80 (h) mm



PC04.230

Roll Sticko Paper


90 (w) x 980 (l) x 80 (h) mm



PC05.200

Roll Sticko Paper


90 (w) x 1080 (l) x 80 (h) mm



PC06.160

Roll Sticko Paper


90 (w) x 1050 (l) x 80 (h) mm





Flange di Plastica
Kunststoffflansche
Flasques en plastique
Bridas

ROLL FLANGE



ROLL FLANGE

ROLL PLASTIC END PLATE – PLASTIC END WALL


FL01.76 – FL01.152

Roll Flange

330 (w) x 330 (l) x 30 (h) mm



FL01-76 (plug 76/ 3")
FL01-152 (plug 152/ 6")





FL02.76 – FL02.152

Roll Flange

510 (w) x 500 (l) x 40 (h) mm



FL02-76 (plug 76/ 3")
FL02-152 (plug 152/ 6")




FL03.76 – FL03.70

Roll Flange

600 (w) x 580 (l) x 40 (h) mm



FL03-76 (plug 76/ 3")
FL03-70 (plug 70/ 2,8")





FL04.152

Roll Flange

620 (w) x 600 (l) x 40 (h) mm



FL04-152 (plug 152/ 6")




FL05.152

Roll Flange

700 (w) x 700 (l) x 50 (h) mm



FL05-152 (plug 152/ 6")




FL06.152

Roll Flange

840 (w) x 800 (l) x 60 (h) mm



FL06-152 (plug 152/ 6")



FL06S.152

Roll Flange

840 (w) x 800 (l) x 60 (h) mm



FL06S-152 (no plug/hole 152/ 6")



FL07S.152

Roll Flange


1040 (w) x 1000 (l) x 60 (h) mm



FL07S-152 (no plug/hole 152/ 6")



easy to assembly



super reusable!



Magazzino Bobine

Rollenlager

Entrepôt

Almacén



ROLL HANGGO



HA01.T

Roll Hango

1200 (w) x 1400 (l) x 1200 (h) mm



Foldable



2+1

Roll Static Load (Kg)



1200 Kg

Roll Dyn. Load (Kg)





1000 Kg



HA02.T

Roll Hango

1200 (w) x 1800 (l) x 1200 (h) mm



Foldable



2+1

Roll Static Load (Kg)




1200 Kg

Roll Dyn. Load (Kg)





1000 Kg



HA01.P

Roll Hango

1200 (w) x 1400 (l) x 1200 (h) mm



Foldable



2+1

Roll Static Load (Kg)



1500 Kg

Roll Dyn. Load (Kg)





1200 Kg



HA02.P

Roll Hango

1200 (w) x 1800 (l) x 1200 (h) mm



Foldable



2+1

Roll Static Load (Kg)



1500 Kg

Roll Dyn. Load (Kg)




1200 Kg




HA60.140.S

Roll Hango

600 (w) x 1400 (l) x 800 (h) mm



Foldable



2+1

Roll Static Load (Kg)




600 Kg




HA80.140.S

Roll Hango

800 (w) x 1400 (l) x 1000 (h) mm



Foldable



2+1

Roll Static Load (Kg)



1000 Kg



ROLL

RECYCLO



Core Stripper Machine

Quick setting of:

- 1) Core thickness;
- 2) Reel lenght and reel lenghts amount
- 3) Speed class
- 4) Last layers save




paper



plastic



aluminium



Version Re600:

Diam Max Roll
....600mm
Lenght Max Roll
...1500 mm
Roll Load



a partnership

GAYO
MECCANICA

ROLL

Roll - info@roll-packaging.com - www.roll-packaging.com - 2021